

MALT ANALYSIS

Batch: P413-18-72-04

Raw material: 2-Row Barley Genesis

OKEFENOKEE PALE MALT


Parameter	Value	Unit
Moisture content	4.9	%
Friability	83	%
Extract on fine grind d.m.	79.8	%
Extract on coarse grind d.m.	78.8	%
Difference in fine and coarse extract	1.0	%
Colour Spectrophotometerical	1.97	ASBC ColSp
Total Protein content	11.71	%
Soluble protein dm	4.20	%
Kolbach Index (100*ps/pt)	35.9	%
pH of fine grind wort	5.99	pH
Diastatic Power on Malt ASBC	128	ASBC DP
Alpha Amylase	53.3	DU
Viscosity Absolute/Dynamic	1.47	cP
Viscosity Relative/Kinematic	1.42	cSt
Soluble betaglacans mg/l	99	mg/l
Free Amino Nitrogen	139	mg/l
DON content	0.1	ppm
Final attenuation limit on wort	82.0	%
Saccharification time	5	min

BARLEY HISTORY

This malt was made from Genesis Barley which was harvested on August 2016 by the Saueressig Farm which is located in McClusky, ND and will be celebrating 100 years of farming in 2018. Kim Saueressig is the 4th generation farmer and takes great pride in growing barley from the North Dakota. This 2-Row Genesis was grown on the field Esther's named after the land owner and is located about four miles SW of Saueressig's farmstead.



(Satellite image above)
47°30'12.3"N 100°35'00.0"W
Planted April 13, 2016
Harvested July 27, 2016



Hot Steep Method

Items Needed to perform the Hot Steep Method:

24-ounce Thermos
Funnel
Cone Coffee Filter
Coffee Grinder
Scale capable of weighing 50.0 g (± 0.1 g)
Glass Beaker, tall, 600 mL volume
Thermometer, standard, 0-200°C
Quart sized large or small mouth canning jars
Heating apparatus, capable of heating water to 65°C

Steps to perform the Hot Steep Method:

- Grind 50.0g of malt in coffee grinder (grind of 10-15 sec)
- Add 400ml of 65°C (149°F) water to Thermos
- Add grist to water, cap thermos and shake for 20 sec
- Let rest for 15min
- When timer is up, swirl for a few seconds then pour everything into filter in funnel over large jar
- Collect 100ml of wort and add it back into filter
- Collect and Taste

Check Your Malt Grind

Take 100g of milled grist and Place in #14 Sieve stacked over #30,#60 over pan, Slide 18" on smooth surface for 3 min and Tap sharply on surface ever minute Record Grist retained above in each sieve *Chart to the below gives Percentage of what should be retained in each sieve for each grind*

100g Sample	#14 Sieve	#30 Sieve	#60 Sieve	Pan
Coarse Grind	78g	14g	4g	4g
Medium Grind	53g	28g	11g	8g
Fine Grind	25g	25g	31g	20g

Calculating PPG and OG

PPG (SG of 1 lb of fermentable in 1 gal of water)

$$PPG = 46.214 * (DBCG / 100 - MC\% / 100 - 0.002)$$

Original Gravity Calculation

$$OG = 1 + (EF\% / 100) * (PPG * MW / BV)$$

MW = pounds of malt used
 BV = Batch volume in gallons
 EF% = Mashing efficiency
 OG = Original Gravity
 PPG = Pounds Per Gallon
 MC = Moisture Content
 DBCG = Course Grind Extract

For any questions or to place another order please contact us directly at the following:

Chris Fries – Chief Maltster - 509.954.5449 chris@twotrackmalting.com
 Jared Stober – CEO – 701.595.3388 jared@twotrackmalting.com